

BUILT TO BUILD BUSINESS



DESIGNED BUSINESS

The new Daihatsu Gran Max is the ideal combination of performance, comfort, safety and a multi-purpose vehicle for all type of business.

With the Gran Max, GHK Motors can customise based on customer's business activities or requirements.

- The 5-seater van can be used as passenger or carry cargo vehicle.
- The pick-up is suitable for start-up company to meet with their requirements, as well as customisation to box truck that suit with individual business's activities.
- The box truck can be customised based on individual businesses such as food truck, catering truck, delivery truck and more.

Kompleks Perindustrian Beribi II, Km 7, Jalan Gadong, P.O. Box 1031, BSB BS8672 Brunei Darussalam. Tel nos: 2423423, 2420882, 2446188

Fax no: 2426295

Fax no: 3335720







5-SEATER VAN







Ivory White



Ultra Black

SPECIFICATIONS

		1.5 MT	1.5 AT	
Overall Length	mm 4045		15	
Overall Width			1665	
Overall Height		1900		
Wheel Base		265	50	
Track	Front (mm)	1460		
	Rear (mm)	1440		
Cargo Area Length mm		2075 (1335)		
Cargo Area Width mm		1495		
Cargo Area Height mm		1340		
Min. Road Clearance	Kerb weight (mm)	165		
Min. Turning Circle	Kerb to Kerb (m)	9.4		
	Wall to Wall (m)	10.0		
Kerb Weight		1130	1240	
Gross Vehicle Weight		200	00	
Seating Capacity 2 (5)		5)		
Engine Type	3SZ-VE	Petrol, 4 Cylinder, DOHC, 16-valve, DVVT		
Engine Displacement	(cc)	1495		
Bore x Stroke (mm)		72.0 x 91.8		
Compression Ratio		10.0		
Max. Output	(kW/rpm)	71 / 6000		
Max Torque (N-m/rpm)		134 / 4400		
Fuel System		Electronic Fuel Injection		
Fuel Tank Capacity	(Liter)	43		
Steering Type		Rack &		
Transmission		Forward 5-Speed Manual	Forward 4-Speed Full	
		All Synchromesh	Automatic	
Transmission Gear Ratio		I.3.769 IV.1.000	I.2.731 IV.0.696	
		II.2.045 V.0.838	II.1.526	
		III.1.376 R.4.128	III.1.000 R.2.290	
Final Gear Ratio		4.875	5.125	
Brake	Front	13 inch Ventilat		
	Rear	Drum Brake, Leading & Trailing		
Parking Brake		Lever-Type Parking Brake		
Suspension	Front	McPherson-Struts With Coil Springs		
	Rear	5-Link Coil Spring		
Tyres		165R	13C	

Note: Some of the equipment may vary in appearance or availability according to market. Additional items shown are for illustration purposes only. Please consult your local dealer/distributor for more detailed infromation.





BOX TRUCK







STANDARD SPECIFICATIONS

ENGINE	
Engine	3SZ-VE
Engine Type	Petrol, Inline 4-Cylinder, 16-Valve, DOHC, DVVT, EFI
Bore x Stroke	72.0 mm x 91.8 mm
Total Displacement	1,495 cc
Compression Ratio	10.0:1
Max. Output	71 kw / 6000 rpm
Max. Torque	134 Nm / 4400rpm
DIMENSIONS	
Overall Length	2375 mm
Overall Width	1655 mm
Overall Height	1535 mm
Wheelbase	2650 mm
Track – Front	1460 mm
Track - Rear	1440 mm
Min. Road Clearance	175 mm
Kerb Weight	990 kg
Gross Vehicle Weight	2100 kg
Min. Turning Radius	4.7 m
TRASMISSION	
Drivetrain	Rear Wheel Drive
Clutch Type	Dry Single Plate Diaphragm Spring
Gear Box	Forward 5-Speed Manual, All Synchromesh
Gear Ratio	1 st = 3.769
	$2^{nd} = 2.045$
	$3^{rd} = 1.376$
	$4^{th} = 1.000$
	$5^{th} = 0.838$
	Reverse = 4.128
	Final = 4.875
OTHERS	
Steering Type	Power Assisted, Rack and Pinion
Brake System	
Brake – Front	Ventilated Disc
Brake – Rear	Drum Brake, Leading and Trailing with Load Sensing Proportionin
	Value (LSPV)
Aircond System	Denso Aircond System
Suspension - Front	McPherson Strut with Coil Spring
Suspension – Rear	Leaf Spring
Fuel Tank Capacity	43 Litre
Tyre Size	175R13C

Note: Some of the equipment may vary in appearance or availability according to market. Additional items shown are for illustration purposes only. Please consult your local dealer/distributor for more detailed infromation.





PICK-UP







SPECIFICATIONS

ENGINE		
Engine	3SZ-VE	
Engine Type	Petrol, Inline 4-Cylinder, 16-Valve, DOHC, DVVT, EFI	
Bore x Stroke	72.0 mm x 91.8 mm	
Total Displacement	1,495 cc	
Compression Ratio	10.0 : 1	
Max. Output	71 kw / 6000 rpm	
Max. Torque	134 Nm / 4400rpm	
DIMENSIONS		
Overall Length	4450 mm	
Overall Width	1750 mm	
Overall Height	1940 mm	
Wheelbase	2650 mm	
Track – Front	1460 mm	
Track - Rear	1440 mm	
Min. Road Clearance	175 mm	
Kerb Weight	990 kg	
Gross Vehicle Weight	2100 kg	
Min. Turning Radius	4.7 m	
TRASMISSION		
Drivetrain	Rear Wheel Drive	
Clutch Type	Dry Single Plate Diaphragm Spring	
Gear Box	Forward 5-Speed Manual, All Synchromesh	
Gear Ratio	1 st = 3.769	
	$2^{nd} = 2.045$	
	3 rd = 1.376	
	4 th = 1.000	
	5 th = 0.838	
	Reverse = 4.128	
	Final = 4.875	
OTHERS		
Steering Type	Power Assisted, Rack and Pinion	
Brake System		
Brake – Front	Ventilated Disc	
Brake – Rear	Drum Brake, Leading and Trailing with Load Sensing Proportioning	
	Value (LSPV)	
Aircond System	Denso Aircond System	
Suspension - Front	McPherson Strut with Coil Spring	
Suspension – Rear	Leaf Spring	
Fuel Tank Capacity	43 Litre	
Tyre Size	175R13C	

Note: Some of the equipment may vary in appearance or availability according to market. Additional items shown are for illustration purposes only. Please consult your local dealer/distributor for more detailed infromation.